



NIB INA Bearing RT605

Bearing No. RT605

RT605 Bearing 2D drawings and 3D CAD models

| | |
|----------------------|---|
| Size | 31.75x60.325x20.637 mm |
| Bore Diameter | 31,75 mm |
| Outer Diameter | 60,325 mm |
| Width | 20,637 mm |
| d | 1 1/4 inch |
| d | 31,75 mm |
| D | 2,375 inch |
| D | 60,325 mm |
| T | 0,813 inch |
| T | 20,637 mm |
| m | 0,595 lbs / Weight |
| m | 0,27 kg / Weight |
| C _a | 16000 lbf / Dynamic load rating (axial) |
| C _a | 71000 N / Dynamic load rating (axial) |
| C _{0a} | 32000 lbf / Static load rating (axial) |
| C _{0a} | 143000 N / Static load rating (axial) |
| Category | Thrust Roller Bearing |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0.27 |
| EAN | 4012802022766 |
| Product Group | B04144 |
| | |



National Parts LLP

| | |
|-------------------------------------|--|
| Rolling Element | Cylindrical Roller Bearing |
| Self Aligning | No |
| Component Description | Roller Assembly plus Raceways |
| Thrust Bearing | Yes |
| Single or Double Direction | Single Direction |
| Banded | No |
| Cage Material | Steel |
| Precision Class | ABEC 1 ISO P0 |
| Other Features | Double Row Cylindrical Roller Flat Race Separable Axial Contact |
| Long Description | 1-1/4" Bore 1; 1-1/4" Bore 2; 2-3/8" Outside Diameter; 13/16" Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roll |
| Inch - Metric | Inch |
| Category | Thrust Roller Bearings |
| UNSPSC | 31171507 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Keyword 3 | Cylindrical |
| Keyword String | Thrust Roller Cylindrical |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | RT605 |
| Weight / LBS | 0.595 |
| Overall Height with Aligning Washer | 0 Inch 0 Millimeter |
| Outside Diameter | 2.375 Inch 60.325 Millimeter |
| Bore 1 | 1.25 Inch 31.75 Millimeter |
| Bore 2 | 1.25 Inch 31.75 Millimeter |



National Parts LLP

Height

0.813 Inch | 20.65
Millimeter